


Nickel Plated Brass Metric Cable Glands

Range: Cable Glands/Grommets

Part Number: K155-1016-00



DESCRIPTION

Wadi Heat cable gland. For use in extreme heat applications. M16x1.5 thread length 7.0 min/max cable diameter 5-10.5 Dome nut - Brass CuZn39Pb3, nickel-plated, Sealing Insert - Fluorine rubber FKM

CABLE GLANDS/GROMMETS FEATURES

- Especially suitable for high temperature applications
- Sealing insert and O-ring have a very good resistance to many chemicals
- High UV, ozone and weather resistance
- Large-area sealing protects the cable
- Integrated anchorage with high retention
- Wide sealing and clamping range
- The inner sealing ring can be removed easily for larger cables

Subject to technical modification without notice.

Typographical and other errors do not justify claim for damages.

SPECIFICATION

| | |
|---------------------------------|---------------------------------------------------------------------------------|
| Body Material | Brass CuZn39Pb3, nickel-plated |
| Mounting Nut Material | Brass CuZn39Pb3, nickel-plated |
| Moulded Sealing Ring Material | Fluorine rubber FKM |
| Min Temperature Rating °C | -40 |
| Max Temperature Rating °C | 200 |
| IP Rating | IP66 / IP68 - 10 bar (30 min.) / IP69 |
| Thread Size | M16 |
| Clamping Range Min (mm) | 5 |
| Clamping Range Max (mm) | 10.5 |
| External Connecting Thread Type | Metric |
| Thread Length (mm) | 7 |
| Sealing Insert | Fluorine rubber FKM |
| Width Across Flat 1 (mm) | 20 |
| Width Across Flat 2 (mm) | 20 |
| Height (mm) | 31.5 |
| Connecting Thread Size | M16x1.5 |
| Additional Material Detail | Dome nut - Brass CuZn39Pb3, nickel-plated, Sealing Insert - Fluorine rubber FKM |

INDUSTRY ACCREDITATIONS

EN