


# Nickel Plated Brass Metric Cable Glands

Range: Cable Glands/Grommets

Part Number: K155-1040-00



## DESCRIPTION

Wadi Heat cable gland. For use in extreme heat applications. M40x1.5 thread length 9.0 min/max cable diameter 24-33 Dome nut - Brass CuZn39Pb3, nickel-plated, Sealing Insert - Fluorine rubber FKM

## CABLE GLANDS/GROMMETS FEATURES

- Especially suitable for high temperature applications
- Sealing insert and O-ring have a very good resistance to many chemicals
- High UV, ozone and weather resistance
- Large-area sealing protects the cable
- Integrated anchorage with high retention
- Wide sealing and clamping range
- The inner sealing ring can be removed easily for larger cables

*Subject to technical modification without notice.*

*Typographical and other errors do not justify claim for damages.*

## SPECIFICATION

|  |   |
|--|---|
| <b>Body Material</b>                   | Brass CuZn39Pb3, nickel-plated  |
| <b>Mounting Nut Material</b>           | Brass CuZn39Pb3, nickel-plated  |
| <b>Moulded Sealing Ring Material</b>   | Fluorine rubber FKM   |
| <b>Min Temperature Rating °C</b>       | -40   |
| <b>Max Temperature Rating °C</b>       | 200   |
| <b>IP Rating</b>                       | IP66 / IP68 - 10 bar (30 min.) / IP69   |
| <b>Thread Size</b>                     | M40   |
| <b>Clamping Range Min (mm)</b>         | 24  |
| <b>Clamping Range Max (mm)</b>         | 33  |
| <b>External Connecting Thread Type</b> | Metric  |
| <b>Thread Length (mm)</b>              | 9   |
| <b>Sealing Insert</b>                  | Fluorine rubber FKM   |
| <b>Width Across Flat 1 (mm)</b>        | 45  |
| <b>Width Across Flat 2 (mm)</b>        | 45  |
| <b>Height (mm)</b>                     | 43  |
| <b>Connecting Thread Size</b>          | M40x1.5   |
| <b>Additional Material Detail</b>      | Dome nut - Brass CuZn39Pb3, nickel-plated, Sealing Insert - Fluorine rubber FKM |

## INDUSTRY ACCREDITATIONS

EN

ADDITIONAL INFORMATION

