


# Stainless Steel Metric Cable Glands

## Range: Cable Glands/Grommets

Order Code: K258-1063-01



### DESCRIPTION

WADI heat EMC-cable gland. M63x1.5 thread length 10 min/max cable diameter 40-53 Dome nut - Stainless steel 1.4404 / AISI 316L, Sealing Insert - Fluorine rubber FKM

### CABLE GLANDS/GROMMETS FEATURES

- For cables with shielding
- Quick and easy EMC connection of the cable shield via the contacting spring with the gland body and the housing potential
- Very good resistance to many chemicals
- Integrated anchorage with high retention
- Large-area sealing protects the cable
- Especially suitable for high temperature applications
- Wide sealing and clamping range
- The inner sealing ring can be removed easily for larger cables
- Very high UV, ozone and weather resistance

*Subject to technical modification without notice.*

*Typographical and other errors do not justify claim for damages.*

## SPECIFICATION

|                                 |   |
|---------------------------------|---|
| Sealing Ring Material           | Fluorine rubber FKM   |
| Body Material                   | Stainless steel 1.4404 / AISI 316L  |
| Mounting Nut Material           | Stainless steel 1.4404 / AISI 316L  |
| Min Temperature Rating °C       | -40   |
| Max Temperature Rating °C       | 200   |
| IP Rating                       | IP66 / IP67 / IP69  |
| Thread Size                     | M63   |
| Clamping Range Min (mm)         | 40  |
| Clamping Range Max (mm)         | 53  |
| External Connecting Thread Type | Metric  |
| Thread Length (mm)              | 10  |
| Sealing Insert                  | Fluorine rubber FKM   |
| Width Across Flat 1 (mm)        | 70 (SW1)  |
| Width Across Flat 2 (mm)        | 70 (SW2)  |
| Height (mm)                     | 53  |
| Length (mm)                     | 10  |
| Connecting Thread Size          | M63 x 1.5   |
| Sealing Ring/Outer Part         | Dome nut - Stainless steel 1.4404 / AISI 316L, Sealing Insert - Fluorine rubber FKM |

## INDUSTRY ACCREDITATIONS

# EN